

AYDIN

KSAA170MA



Elevate Your Customer Experience!

The Aydın Self-Service Kiosk is the perfect blend of style and functionality. With its sleek floor-standing design and PCAP touchscreen display, this kiosk immediately catches the eye while providing an intuitive ordering experience. The vibrant screen showcases your menu items in stunning detail, enticing customers to explore and customize their orders with ease.



KSAA170MA

PANEL	
Panel Size	17"
Resolution	1280 x 1024
Brightness (Typ.)	500 cd/m ²
Contrast	1000:1 (Typ.) (TM)
Viewing Angle (H x V)	178° x 178°
Response Angle (G-to-G)	20 ms (G to G)
Active Display Area (mm)	337.92(V) x 270.336(H)
TOUCH SCREEN	
Touch Technology	Projected Capacitive
Touch Points	10 points Multi-touch
Glass Hardness	6H (min.)
INTERNAL PLAYER (OPTIONAL)	
CPU	Quad Core
RAM	4GB
HDD	32GB
OS	Android 11
I/O	HDMI, USB, ETHERNET, WIFI
POWER	
Power Requirement	AC 100 - 240 V~ (+/- 10 %) 50/60 Hz
Power Consumption (Avg.)	25W
Standby Mode	<0,5W
OPERATION	
Operation Life	7/24 - 50.000 hours
Working Conditions	Operation Temp. : 0~ 50 °C / Storage Temp. : - 20~60 °C
Humidity	10 ~ 80%
DIMENSIONS	
Unit Size(mm) (w x h x d)	725 x 1150 x 320
Product Weight(kg)	30
Size with Stand (mm)	2110 x 1200 x 595
Stand Weight(kg)	30
ACCESSORIES	
Audio (optional)	8Ω, 5W x 2
Thermal Printer	80mm
1D/2D Barcode	640x480p, 30times/sec
Reader Scale	Optional
OPTIONAL	
Floor Stand & Logo & Brand Color Customization	
OTHER (Included in Package)	
Easy Installation Guide, Warranty Document, Power Cable	






KSAA170MA



Desktop and floor
standing options



Modular Design



*in millimeter



unisign / DISPLAY
TECHNOLOGY



selfservice.unisigndisplay.com



hello@unisigndisplay.com



[unisignds](https://www.instagram.com/unisignds)