

BURSA KSBA190MA



Powerful Checkout Solution

The Bursa Self-Service Kiosk boasts an integrated barcode reader, a high-speed thermal printer, and a robust scale, making it an all-in-one solution for efficient self-checkout experiences. The barcode reader ensures fast and accurate item scanning, while the thermal printer provides clear receipts in seconds, enhancing customer convenience. Additionally, the built-in scale accurately measures weighable items, streamlining the checkout process and minimizing errors. This combination of features makes the Bursa kiosk ideal for high-traffic retail environments like supermarkets, significantly improving transaction speed and customer satisfaction.




KSBA190MA

PANEL	
Panel Size	19"
Resolution	1280 x 1024
Brightness (Typ.)	450 cd/m²
Contrast	1000:1 (Typ.) (TM)
Viewing Angle (H x V)	178° x 178°
Response Angle (G-to-G)	14 ms (G to G)
Active Display Area (mm)	374.784 (V) x 299.827 (H)
TOUCH SCREEN	
Touch Technology	Projected Capacitive
Touch Points	10 points Multi-touch
Glass Hardness	6H (min.)
INTERNAL PLAYER (OPTIONAL)	
CPU	Quad Core
RAM	4GB
HDD	32GB
OS	Android 11
I/O	HDMI, USB, ETHERNET, WIFI
POWER	
Power Requirement	AC 100 – 240 V~ (+/- 10 %) 50/60 Hz
Power Consumption (Avg.)	45W
Standby Mode	<0,5W
OPERATION	
Operation Life	7/24 – 50.000 hours
Working Conditions	Operation Temp.: 0~ 50 °C / Storage Temp.: – 20~60 °C
Humidity	10 ~ 80%
DIMENSIONS	
Unit Size(mm) (w x h x d)	1410 x 2050 x 650
Product Weight(kg)	90
ACCESSORIES	
Audio (optional)	8Ω, 5W x 2
Thermal Printer	80mm
1D/2D Barcode	640x480p, 30times/sec
Reader Scale	Standard
OTHER (Included in Package)	
Easy Installation Guide, Warranty Document, Power Cable	

KSBA190MA

19"



***in millimeter**



unisign / DISPLAY
TECHNOLOGY



selfservice.unisigndisplay.com



hello@unisigndisplay.com



[unisignds](https://www.instagram.com/unisignds)