



SAMSUNG
KSSA270EA / KSSA320MA /
KSSB270EA / KSSB320MA

Ergonomic Excellence

The Samsung Self-Service Kiosk is designed with user comfort and accessibility in mind. Its straightforward touchscreen interface ensures a seamless interaction experience for users of all heights. This thoughtful design enhances customer satisfaction and ensures perfect customer experience, making your services accessible to everyone.



selfservice.unisigndisplay.com



hello@unisigndisplay.com



[unisigns](#)

SPECIFICATIONS

SAMSUN MODEL

KSSA270EA

KSSA320MA

KSSB270EA /DOUBLE SIDED

KSSB320MA / DOUBLE SIDED

PANEL				
Panel Size	27"	32"	27"	32"
Resolution	1080 x 1920	1080 x 1920	1080 x 1920	1080 x 1920
Brightness (Typ.)	300 cd/m²	400 cd/m²	300 cd/m²	400 cd/m²
Contrast	1000:1 (Typ.) (TM)	1200:1 (Typ.) (TM)	1000:1 (Typ.) (TM)	1200:1 (Typ.) (TM)
Viewing Angle (H x V)	178° x 178°	178° x 178°	178° x 178°	178° x 178°
Response Angle (G-to-G)	14 ms (G to G)	8 ms (G to G)	14 ms (G to G)	8 ms (G to G)
Active Display Area (mm)	597.89 (H) x 336.31 (V)	698.40 (H) x 392.85 (V)	597.89 (H) x 336.31 (V)	698.40 (H) x 392.85 (V)
TOUCH SCREEN				
Touch Technology	Projected Capacitive			
Touch Points	10 points Multi-touch			
Glass Hardness	6H (min.)			
INTERNAL PLAYER (OPTIONAL)				
CPU	Quad Core			
RAM	4GB			
HDD	32GB			
OS	Android 11			
I/o	HDMI, USB, ETHERNET, WIFI			
POWER				
Power Requirement	AC 100 ~ 240 V~ (+/- 10 %) 50/60 Hz	AC 100 ~ 240 V~ (+/- 10 %) 50/60 Hz	AC 100 ~ 240 V~ (+/- 10 %) 50/60 Hz	AC 100 ~ 240 V~ (+/- 10 %) 50/60 Hz
Power Consumption (Avg.)	22W	47W	2*22W	2*47W
Standby Mode	<0,5W	<0,5W	<0,5W	<0,5W
OPERATION				
Operation Life	7/24 ~ 50.000 hours			
Working Conditions	Operation Temp. : 0~ 50 °C / Storage Temp. : - 20~60 °C			
Humidity	10 ~ 80%			
DIMENSIONS				
Unit Size(mm) (w x h x d)	1089 x 485 x 150	1200 x 550 x 150	1089 x 485 x 190	1200 x 550 x 190
Unit Package Size (mm)	1160 x 520 x 320	1270 x 620 x 320	1160 x 520 x 450	1270 x 620 x 475
Product Weight(kg)	40	45	65	75
Package Weight(kg)	45	50	70	80
Stand Size (mm)	698 x 260 x 105	587 x 300 x 105	698 x 260 x 105	587 x 300 x 105
Stand Package Size(mm)	780 x 350 x 470	670 x 210 x 470	780 x 350 x 470	670 x 210 x 470
Stand Weight(kg)	22	25	22	25
ACCESSORIES				
Audio (optional)	8Ω, 5W x 2			
Thermal Printer	80mm			
1D/2D Barcode	640x480p, 30times/sec			
OPTIONAL				
Floor Stand & Logo & Brand Color Customization				
OTHER (Included in Package)				
Easy Installation Guide, Warranty Document, Power Cable				




KSSA270EA / KSSA320MA / KSSB270EA / KSSB320MA


27"



27" DOUBLE SIDE



32"



32" DOUBLE SIDE



*in milimeter



unisign / DISPLAY
TECHNOLOGY



selfservice.unisigndisplay.com



hello@unisigndisplay.com



[unisignds](https://www.instagram.com/unisignds)